



# **Innovative Solutions**

Driven to Provide Value to Your System













Saves Time, Money & Labor

No Soldering or Burn Permit Needed. Shorter Lay Lengths for Those Tighter Spaces

# **FEATURES & BENEFITS**

#### **EPDM & HNBR**

Available in Sizes 1/2" - 2". The patented Visual Indicator Press Ring® (VIPR®) gives redundancy in identifying unpressed connections. The color-coded plastic sleeve can be easily removed when the connection is pressed, and also indicates the sealing element material preventing costly and potentially unsafe installation errors.





Box, Bag and Ring are color-coordinated for ease of identifying the sealing element

Most Comprehensive Package with over 400 SKUs

> Corrosion resistant Zn-Ni plating ensures years of trouble-free service.

diameter of pipe

**Engineered sealing elements** are designed to leak before they are pressed, giving a visual indication of a connection that has not been pressed.

# **PRODUCT OFFERING**



Description	Diameter Size Range for All Sealing Element Materials IPS (Iron Pipe Size)
	Small Diameter
CarbonPress® Coupling with Stop	1/2" - 2"
CarbonPress® Coupling No Stop	1/2" - 2"
CarbonPress® Extended Coupling No Stop	1/2" - 2"
CarbonPress® Bushing Reducer	3/4" - 2"
CarbonPress® Reducing Coupling	3/4" - 2"
CarbonPress® 90° Elbow	1/2" - 2"
CarbonPress® 90° Street Elbow	1/2" - 2"
CarbonPress® 45° Elbow	1/2" - 2"
CarbonPress® 45° Street Elbow	1/2" - 2"
CarbonPress® Equal Tee	1/2" - 2"
CarbonPress® Reducing Tee	1/2" - 2"
CarbonPress® Female Reducing Tee ( P x FPT)	3/4" - 2"
CarbonPress® Cap	1/2" - 2"
CarbonPress® Male Adapter	1/2" - 2"
CarbonPress® Female Adapter	1/2" - 2"
CarbonPress® Union	1/2" - 2"
CarbonPress® Female Union	1/2" - 2"
CarbonPress® Flange Adapter	1/2" - 2"

# **APPROVED APPLICATIONS**

TYPES OF SERVICE		SYSTEM OPERATIN		CARBONPRESS® SEALS		
		NOTES	PRESSURE	TEMPERATURE	EPDM (WATER)	HNBR (GAS)
	Chilled Water	Low-Pressure System Steam	230 psi	Min40°F	<b>/</b>	
FLUIDS/ WATER	Hydronic Heating	Ethylene Glycol, Propylene Glycol	230 psi	300°F	<b>\</b>	
WAILK	Low-Pressure System Steam		15 psi max.	300°F	<b>✓</b>	
	Argon		230 psi	Max. 140°F	<b>✓</b>	<b>✓</b>
	Carbon Dioxide		230 psi	Max. 140°F	<b>✓</b>	<b>/</b>
	Compressed Air	Oil Concentrate <25mg/m3	230 psi	Max. 140°F	<b>✓</b>	<b>✓</b>
GASES		Oil Concentrate >25mg/m3	230 psi	Max. 140°F		<b>✓</b>
G/1020	Natural Gas, LP Gas -40°F to 180°F and Fuel Oil		125 psi max.	-40°F to 180°F		<b>✓</b>
	Nitrogen		230 psi	Max. 140°F	<b>✓</b>	<b>✓</b>
	Vacuum		29.2 in Hg max.	Max. 140°F		
	Diesel Fuel	Compliant with NFPA 30 & 30A	125 psi			<b>✓</b>
	Engine Oil		150 psi	Ambient		<b>✓</b>
OIL & LUBRICANTS	Heating Fuel Oil		125 psi	-40°F to 180°F		<b>✓</b>
	Hydraulic Fluid	Mineral Based	230 psi	Ambient		<b>V</b>
	Transmission Fluid		230 psi	Ambient		<b>✓</b>

Contact Merit Brass for additional information regarding applications not listed above.

# **SEALING ELEMENTS**

EPDM	Ethylene-propylene-diene monomer	
Color	Black	
Temperature	-40°F to 300°F (-40°C to 148°C)	
	Hydronic Heating	
Common Applications	Chilled Water	
	Oil Free Air	
Manufacturing Process	Synthetically manufactured & peroxide-cured	
Benefits of Sealing Element	Excellent oxidation resistance	

HNBR	Hydrogenated Nitrile Butadiene Rubber	
Color	Yellow	
Temperature -40°F to 200°F (-40°C to 93°C)		
	Fuel Gas Applications	
Common Applications	Petroleum-based products and lubricants	
	Salt solutions	
Manufacturing Process	Synthetically manufactured and peroxide-cured	
Benefits of Sealing Element	Excellent resilience and tear resistance	

#### SYSTEM DATA

#### CarbonPress® Codes and Standards

- ASME B31.1 Power Piping
- ASME B31.3 Process Piping
- ASME B31.9 Building Service Piping
- CSA B149.1 Natural Gas and Propane Installation Code
- IAPMO Uniform Mechanical Code (UMC)
- IAPMO Uniform Plumbing Code (UPC)

# CarbonPress® Certifications

- IAPMO Z 1117 (EPDM)
- IAPMO/ANSI LC 4/CSA 6.32 (HNBR)

# CarbonPress® Temperature & Pressure

• Temperature Range: EPDM -40°F to 300°F (-40°C to 148°C)

Working pressure range from full vacuum to 250 psi (17.2 bar) for water

Temperature Range: HNBR -40°F to 200°F (-40°C to 93°C)
 Working pressure range 125 psi (8.6 bar) for gas

• Surface Protection: Corrosion Resistant Zn-Ni Plating

# **TOOLING REFERENCE GUIDE**

Carbo	CarbonPress® Tools, Kits, Jaws and Rings							
Size	Milwaukee Part #	Tooling Name	Adapter	Ridgid Part #	Tooling Name	Adapter	Profile	
0.5" - 2"	2773-20	M18 Force Logic Press Tool		67063	RP 350 Press Tool			
0.5" - 1"	49-16-2696	M18 Black Iron Press Kit (0.5" - 1")		48558	Press Jaw Kit (0.5" - 1")			
0.5" - 2"	49-16-2697	M18 Black Iron Press Kit (0.5" - 2")		48553	Press Jaw Kit (0.5" - 2")			
2.5" - 4"	2773-20L	M18 Force Logic Long Throw Press Tool		60658	Press Booster			
0.5"	49-16-2650B	0.5" M18 Black Iron Press Jaw		37958	0.5" Press Jaw		IPS - Grab Ring	
0.75"	49-16-2651B	0.75" M18 Black Iron Press Jaw		37963	0.75" Press Jaw		IPS - Grab Ring	
1"	49-16-2652B	1" M18 Black Iron Press Jaw		37968	1" Press Jaw		IPS - Grab Ring	
1.25"	49-16-2653B	1.25" M18 Black Iron Press Ring	49-16-2659	37973	1.25" Press Ring	21878	IPS - Grab Ring	
1.5"	49-16-2654B	1.5" M18 Black Iron Press Ring	49-16-2659	37978	1.5" Press Ring	21878	IPS - Grab Ring	
2"	49-16-2655B	2" M18 Black Iron Press Ring	49-16-2659	37983	2" Press Ring	21878	IPS - Grab Ring	
2.5"	49-16-2656B	2.5" M18 Black Iron Press Ring	49-16-2659	60643	2.5" Press Ring	Press Booster	IPS - Grab Ring	
3"	49-16-2657B	3" M18 Black Iron Press Ring	49-16-2659	60648	3" Press Ring	Press Booster	IPS - Grab Ring	
4"	49-16-2658B	4" M18 Black Iron Press Ring	49-16-2659	64653	4" Press Ring	Press Booster	IPS - Grab Ring	
1.25" - 2"	49-16-2659	Ring Jaw 1		21878	V2 Press Ring Actuator			
2.5" - 4"	49-16-2659\$	Ring Jaw 2						
2.5" - 4"	49-16-2698	M18 Black Iron Press Kit XL (2.5" - 4")		60638	Press Booster with Press Rings (2.5" - 4")			

**Note: CarbonPress®**, by Merit Brass Co. products can be used with Milwaukee, REMS, Ridgid, and Rothenberger tools with the associated Jaws for Carbon Steel/Black Iron Pipe. Please contact Merit Brass Co. for additional information.







# **Innovative Solutions**

Driven to Provide Value to Your System













Saves Time, Money & Labor

No Soldering or Burn Permit Needed. Shorter Lay Lengths for Those Tighter Spaces

#### **FEATURES & BENEFITS**

#### **EPDM**

50-Year Limited Warranty. Available in Sizes 1/2" - 4" Copper Tube Size (CTS). Fully Captured Grab Ring on 2 - 1/2" & above. VIPR® facilitates immediate identification of unpressed connection as well as application



Box, Bag and Ring are color-coordinated

for ease of identifying the sealing element



Leak Before Press (LBP) System Designed to leak before they are pressed, giving a visual indication of a connection that has not been pressed. 1/2" has a 3-Path LBP, 3/4" - 2" have a 4-Path LBP System. 2.5" – 4" also have LBP.

Water application stamped on the fitting as H2O in green

NSF 61 on fittings

#### **APPROVED APPLICATIONS**

TYPES OF SERVICE		SYSTEM OPERATING CO	COPPERPRESS® SEAL		
		NOTES	PRESSURE	TEMPERATURE	EPDM
	Chilled Water	Ethylene Glycol/Propylene Glycol	300 psi	32°F - 250°F	<b>✓</b>
	Cooling Water	Up to 50% Ethylene Glycol or Propolene Glycol Solution	300 psi	32°F - 250°F	<b>✓</b>
FLUIDS/	Hot & Cold Potable Watecr		300 psi	32°F - 250°F	<b>✓</b>
WATER	Hydronic Heating	Ethylene Glycol/Propylene Glycol	300 psi	32°F - 250°F	<b>✓</b>
	Low-Pressure Steam		Up to 15 psi	248°F	<b>✓</b>
	Rainwater/Gray Water		300 psi	32°F - 250°F	<b>✓</b>
FUEL, OIL & Lubricant	Ethanol	Pure Grain Alcohol	300 psi	32°F - 250°F	<b>✓</b>
	Argon	Welding Use	300 psi	Ambient	<b>✓</b>
	Carbon Dioxide - CO2	Dry	300 psi	32°F - 250°F	<b>✓</b>
	Compressed Air	Less Than 25mg/m3 Oil Content	300 psi	32°F - 250°F	<b>✓</b>
GAS	Hydrogen - H2		125 psi	0°F - 250°F	<b>✓</b>
	Nitrogen - N2		300 psi	32°F - 250°F	<b>✓</b>
	Oxygen - O2 (Non-Med)	Keep Oil and Fat Free/Non-Liquid O2	140 psi	Up to 140°F	<b>✓</b>
	Vacuum		29.2 in Hg	Call	<b>✓</b>

<sup>\*</sup>Contact Merit Brass for information regarding specific applications

#### SYSTEM DATA

# CopperPress® Fitting Codes & Standards

- ASME B31.1 Power Piping, B31.3 Process Piping, B31.9 Building Services Piping
- IPC, IMC, IRC, UPC, UMC
- CPC & CMC (California Plumbing and Mechanical Codes)
- City of Los Angeles Plumbing and Mechanical Codes
- Massachusetts Regulation 248 CMR 10.00: Uniform State Plumbing Code
- Massachusetts State Building Code 780 CMR Ninth Edition: Chapter 28

# CopperPress® Fitting Certifications

- ICC-ES LC 1002 Press Connection Fittings for Potable Water Tube and Radiant Heating Systems
- IAPMO/ANSI/CAN Z1117 Press Connections
- NSF/ANSI/CAN 61 Drinking Water System Components Health Effects
- NSF/ANSI/CAN 372 Drinking Water System Components Lead Content

# CopperPress® Fitting Pressures & Temperatures


• Temperature Range: 0°F to 250°F

Operating Pressure: 300 psi.

#### **TOOLING REFERENCE GUIDE**

Cop	CopperPress® Tools, Kits, Jaws and Rings								
Size	Milwaukee Part #	Tooling Name	Adapter	Ridgid Part #	Tooling Name	Adapter	Profile		
0.5" - 4"	2773-20	M18 Force Logic Press Tool		67063	RP 350 Press Tool				
0.5" - 2"	2773-22	M18 Force Logic Press Tool w/Jaws (0.5" - 2")		67053	RP 350 Press Tool w/Jaws (0.5" - 2")				
0.5"	49-16-2650	0.5" M18 Jaw		76652	0.5" Press Jaw		CTS - V		
0.75"	49-16-2651	0.75" M18 Jaw		76657	0.75" Press Jaw		CTS - V		
1"	49-16-2652	1" M18 Jaw		76662	1" Press Jaw		CTS - V		
1.25"	49-16-2653	1.25" M18 Jaw		76667	1.25" Press Jaw		CTS - V		
1.5"	49-16-2654	1.5" M18 Jaw		76672	1.5" Press Jaw		CTS - V		
2"	49-16-2655	2" M18 Jaw		76677	2" Press Jaw		CTS - V		
2.5"	49-16-2656	2.5" M18 Ring	49-16-2659	20543	2.5" Press Ring	21878	CTS - Grab Ring		
3"	49-16-2657	3" M18 Ring	49-16-2659	20548	3" Press Ring	21878	CTS - Grab Ring		
4"	49-16-2658	4" M18 Ring	49-16-2659	20553	4" Press Ring	21878	CTS - Grab Ring		
2.5" - 4"	49-16-2659	Ring Jaw 1		21878	V2 Press Ring Actuator				
2.5" - 4"	49-16-2690	M18 Press Ring Kit (2.5" - 4")		20483	2.5" - 4" Press Rings and V2 Actuator				

#### **PRODUCT OFFERING**



### **SEALING ELEMENTS**

	EPDM SEALING ELEMENT	
EPDM	Ethylene-propylene-diene monomer	
Color	Black	
Temperature	0°F to 250°F	
	Potable Water	
Common Applications	Hydronic Heating (W/ Glycol)	
	Chilled Water	
Manufacturing Process	Synthetically manufactured & peroxide-cured	
Benefits of Sealing Element	Excellent oxidation resistance	

# SMALL DIAMETER COPPER END PRESS BALL VALVE - SIZES: 1/2"-2"

## CopperPress® Ball Valve Codes & Standards


- ASME B31.1 Power Piping, B31.3 Process Piping, B31.9 Building Services Piping
- ASME A112.4.14/CSA B125.14 Manually and Automatically Operated Valves for Use in Plumbing Systems
- IPC, IMC, IRC, UPC, UMC
- CPC & CMC (California Plumbing and Mechanical Codes)
- City of Los Angeles Plumbing and Mechanical Codes
- Massachusetts Regulation 248 CMR 10.00: Uniform State Plumbing Code
- Massachusetts State Building Code 780 CMR Ninth Edition: Chapter 28


# CopperPress® Ball Valve Certifications

- ICC-ES LC 1002 Press Connection Fittings for Potable Water Tube and Radiant Heating Systems
- IAPMO/ANSI/CAN Z1157 Ball Valves
- NSF/ANSI/CAN 61 Drinking Water System Components Health Effects
- NSF/ANSI/CAN 372 Drinking Water System Components Lead Content


# **Design Features**


Designed to be used with ASTM B88 Type K, L and M 1/2" - 2" copper tubing in the hard-drawn condition and soft copper tubing in sizes 1/2" - 1-1/4".





Smal	l Diameter Coppe	re	Sizes: 1/2" - 2"	
Item	Description	Material	QTY	Specification
1	Retainer	Copper	2	C12200
2	Seat	PTFE	2	
3	Body	Bronze	1	C89836
4	Ball (Sizes 1/2" - 1")	Chrome Plated Brass	1	C46500
4	Ball (Sizes 1-1/4" - 2")	Stainless Steel	1	304
5	Stem Packing	PTFE	1	
6	Packing Gland	Brass	1	HPb59-3P
7	Stem Nut	Zinc Plated Steel	1	Q235
8	Stem	Brass	1	C46500
9	Handle	Zinc Plated Steel	1	Q235
10	Sealing Element	EPDM	2	





Part Number	Size (In)	А	В	С	D	Weight (lbs)
MB70000	1/2"	1.56	3.11	1.70	3.94	0.54
MB70010	3/4"	1.89	3.78	1.84	3.94	0.79
MB70020	1"	2.24	4.49	2.37	4.92	1.39
MB70030	1-1/4"	2.56	5.12	3.02	5.84	2.74
MB70040	1-1/2"	2.83	5.67	3.16	6.30	4.30
MB70050	2"	3.44	6.89	4.21	7.87	7.30





# **Innovative Solutions**

Driven to Provide Value to Your System













Saves Time, Money & Labor

No Soldering or Burn Permit Needed. Shorter Lay Lengths for Those Tighter Spaces

#### **FEATURES & BENEFITS**

#### **EPDM & HNBR**

**15-Year Limited Warranty** on Fittings & 5-Year Limited Warranty on StainlessPress® Valves. VIPR® facilitates immediate identification of unpressed connection as well as application.





4 Path Leak Before Press (LBP) System

IPS (Iron Pipe Size)



#### **PRODUCT OFFERING**

Stainless Steel Pipe

Mates with \$5 & \$10, 304 & 316



Description	Size Range
316 StainlessPress® Coupling with Stop	1/2" - 2"
316 StainlessPress® Coupling without Stop	1/2" - 2"
316 StainlessPress® 90° Elbow	1/2" - 2"
316 StainlessPress® 90° Street Elbow	1/2" - 2"
316 StainlessPress® 45° Elbow	1/2" - 2"
316 StainlessPress® 45° Street Elbow	1/2" - 2"
316 StainlessPress® Tee P x P x FPT	1/2" - 2"
316 StainlessPress® Tee P x P x P	1/2" - 2"
316 StainlessPress® Reducing Tee P x P x FPT	3/4" - 2"
316 StainlessPress® Reducing Tee P x P x P	3/4" - 2"
316 StainlessPress® Bushing Reducer	3/4" - 2"
316 StainlessPress® Female Adapter	1/2" - 2"
316 StainlessPress® Male Adapter	1/2" - 2"
316 StainlessPress® Flange Adapter	1/2" - 2"
316 StainlessPress® Cap	1/2" - 2"
316 StainlessPress® Union	1/2" - 2"
316 StainlessPress® Ball Valve	1/2" - 2"
316 StainlessPress® Transition Adapter	3/4" - 2"
316 StainlessPress® Van Stone Flange Adapter	1/2" - 2"
316 StainlessPress® Weld Adapter	1/2" - 2"

Note: Size range is for all sealing element materials (HNBR, EPDM and FKM)

#### SYSTEM DATA

#### StainlessPress® Fitting Codes & Standards

- ASME B31.1 Power Piping, B31.3 Process Piping, B31.9 Building Services Piping
- IPC, IMC, UPC, UMC
- CPC & CMC (California Plumbing and Mechanical Codes)
- City of Los Angeles Plumbing and Mechanical Codes
- Massachusetts Regulation 248 CMR 10.00: Uniform State Plumbing Code
- Massachusetts State Building Code 780 CMR Ninth Edition: Chapter 28
- National Standard Plumbing Code (NSPC)
- National Plumbing Code of Canada (NPCC)

## StainlessPress® Fitting Certifications

- ICC-ES LC 1002 Press Connection Fittings for Potable Water Tube and Radiant Heating Systems
- IAPMO/ANSI/CAN Z1117 Press Connections
- NSF/ANSI/CAN 61 Drinking Water System Components Health Effects
- NSF/ANSI/CAN 372 Drinking Water System Components Lead Content
- FM 1920 Pipe Coupling and Fittings for Above Ground Fire Protection Systems
- American Bureau of Shipping Product Design Assessment (PDA) Certificate 1-5-PR1438892-PDA, Piping System and Couplings

#### StainlessPress® Fitting Temperature & Pressure

- Operating Pressure: from full vacuum to 300 PSI on Schedule 5 or 10 Stainless Steel Pipe
- Temperature Range EPDM: -4°F to 230°F (-20°C to 110°C)
- Temperature Range HNBR: -31°F to 248°F (-35°C to 120°C)

**NOTE:** Code, standard and certification compliance is sealing element dependent. Only products with EPDM seals are suitable for potable water applications. Contact Merit Brass Customer Service for additional information.

# **Limited Warranty**



We stand behind the quality of our products and offer a **15-year limited warranty\*** on our **StainlessPress®** fitting offering. We guarantee that our fittings will be free from defects in materials and workmanship for 15 years from the date of purchase. If any of our fittings fail due to defects during this time, we will replace or repair the product at no cost to the customer.

\*This warranty does not cover damage caused by improper installation, misuse, or normal wear and tear.

# CHEMICAL COMPATIBILITY CHART

CHEMICAL				SE	VALVE SEAT		
	CHEMICAL	CHEMICAL FORMULAS	316 SS	EPDM	HNBR	FKM	PTFE
	Acetic Acid 5%	$C_2H_4O_2$	Α	Α	В	Α	А
ACIDS	Acetic Acid 10%	C₂H₄O₂	Α	Α	С	В	А
ACIDS	Acetic Acid Glacial	C₂H₄O₂	Α	Α	В	D	А
	Boric Acid 20%	H <sub>3</sub> BO <sub>3</sub>	Α	Α	А	Α	Α
BASES	Nitric Acid 20°C	HNO <sub>3</sub>	Α	D	D	В	Α
D.A.C.E.C.	Ammonium Hydroxide Concentrated	NH₄OH	Α	Α	D	В	Α
BASES	Potassium Hydroxide 50% 20°C	КОН	Α	Α	В	D	А
	Acetylene	C <sub>2</sub> H <sub>2</sub>	Α	Α	Α	Α	А
	Air		Α	Α	А	Α	А
	Argon	Ar	Α	Α	Α	Α	А
	Butane	C <sub>4</sub> H <sub>10</sub>	Α	D	А	Α	А
	Carbon Dioxide	CO <sub>2</sub>	Α	А	Α	Α	Α
	Carbon Monoxide	СО	Α	Α	А	Α	А
	Ethyl Chloride (no moisture)	C <sub>2</sub> H <sub>5</sub> CI	Α	В	А	Α	А
GASES	Helium	Не	Α	Α	А	Α	А
	Hydrogen	H <sub>2</sub>	Α	Α	Α	Α	А
	Hydrogen Sulfide	H <sub>2</sub> S	Α	А	А	D	А
	Methane	CH₄	Α	D	А	Α	А
	Neon	Ne	Α	Α	А	Α	А
	Nitrogen	Ν	Α	Α	Α	Α	А
	Propane	C <sub>3</sub> H <sub>8</sub>	Α	D	Α	Α	А
	Xenon	Xe	Α	Α	А	Α	А
	Amyl Alcohol	C₅H₁₁OH	Α	Α	В	В	А
	Butyl Alcohol (Butanol)	C <sub>4</sub> H <sub>10</sub> O	Α	В	Α	Α	Α
	Ethyl Alcohol < 80%	C <sub>2</sub> H <sub>6</sub> O	Α	Α	Α	В	Α
ALCOHOLS	Ethyl Alcohol > 80%	C <sub>2</sub> H <sub>6</sub> O	Α	Α	Α	В	Α
	Glycerine (Glycerol)	C <sub>3</sub> H <sub>5</sub> (OH) <sub>3</sub>	Α	Α	Α	Α	А
	Isopropyl Alcohol	C₃H <sub>8</sub> O	Α	Α	В	Α	А
	Methanol	CH₃OH	Α	Α	Α	D	А

A = Recommended B = Minor Effect C = Moderate Effect D = Unsatisfactory

Recommendations shown above are general in nature. Product service life for a given application is dependent on actual media mixture, pressure, temperature and operational (cycling) parameters. Contact sales@meritbrass.com if you have questions or wish to inquire about compatability with chemicals not shown in the chart.

# **SEALING ELEMENTS**

Sealing element is resistant to hot water, ageing and additives commonly used in drinking water. EPDM and Nitrile are certified to all requirements of NSF/ANSI 61, Annex G and NSF/ANSI 372.

EPDM SEALING ELEMENT			
EPDM	Ethylene-propylene-diene monomer		
Color	Black		
Temperature	Fittings & Valves: -4°F to 230°F (-20°C to 110°C)		
Common Applications	Recommended for hot water, dilute acids, alkalies, oil free air and many chemical services. Excellent oxidation resistance. NOT FOR USE WITH HYDROCARBONS		
Manufacturing Process	Synthetically manufactured & peroxide-cured		
Benefits of Sealing Element	Excellent oxidation resistance		

HNBR SEALING ELEMENT				
HNBR	Hydrogenated Nitrile Butadiene Rubber			
Color	Yellow			
Temperature	Fittings: -31°F to 248°F (-35°C to 120°C)   Valves: -13°F to 248°F (-25°C to 120°C)			
Common Applications	non Applications  Recommended for petroleum products, vegetable oils, mineral oils and air with oils. NOT FOR USE IN HOT WATER OR HOT AIR.			
Manufacturing Process	Synthetically manufactured & peroxide-cured			
Benefits of Sealing Element	Excellent resilience and tear resistance			

# **TOOLING REFERENCE GUIDE**

StainlessPress® Tools, Kits, Jaws and Rings						
Size	Milwaukee Part #	Tooling Name	Adapter	Ridgid Part #		
0.5" - 1.25"	2773-20	M18 Force Logic Press Tool				
1.5" - 2"	2773-20L	M18 Force Logic Long Throw Press Tool				
0.5"	49-16-2650S	0.5" M18 IPS-IA Jaw		IPS - M		
0.75"	49-16-2651\$	0.75" M18 IPS-IA Jaw		IPS - M		
1"	49-16-2652S	1" M18 IPS-IA Jaw		IPS - M		
1.25"	49-16-2653S	1.25" M18 IPS-IA Ring	49-16-2659	IPS - M		
1.5"	49-16-2654S	1.5" M18 IPS-IA Ring	49-16-2659\$	IPS - M		
2"	49-16-2655S	2" M18 IPS-IA Ring	49-16-2659\$	IPS - M		
1.25"	49-16-2659	Ring Jaw 1				
1.5" - 2"	49-16-2659S	Ring Jaw 2				
1.25" - 2"	49-16-26918	M18 IPS-IA Press Ring Kit (1.25" - 2")				




# THREE PIECE BALL VALVE | SIZES: 1/2" - 2"

#### StainlessPress® Ball Valve Codes & Standards

In compliance with the Buy American Act

- ASME B31.1 Power Piping, B31.3 Process Piping, B31.9 Building Services Piping
- IPC, IMC, UPC, UMC
- CPC & CMC (California Plumbing and Mechanical Codes)
- City of Los Angeles Plumbing and Mechanical Codes
- Massachusetts Regulation 248 CMR 10.00: Uniform State Plumbing Code
- Massachusetts State Building Code 780 CMR Ninth Edition: Chapter 28
- National Standard Plumbing Code (NSPC)
- National Plumbing Code of Canada (NPCC)

#### StainlessPress® Valve Certifications



Temperature Range (EPDM)
-4°F to 230°F (-20°C to 110°C)


**Maximum Working** 

**EPDM** 

Pressure - 300 psi

IPS (Iron Pipe Size) used with

schedule 5 or 10 stainless steel pipe



Stainle	ssPress® Three Piece Bo	Sizes: 1/2" - 2"		
NO.	Part Name	QTY	Material	
1	Body	1	ASTM A351-CF8M	
2	Сар	1	ASTM A351-CF8M	
3	Ball	1	ASTM A351-CF8M	
4	Stem	1	ASTM A276-316	
5	Ball Seat	1	RPTFE	
6	Body Seat	1	Graphite-Filled PTFE	
7	Thrust Washer	1	Graphite-Filled PTFE	
8	Stem Packing	1	PTFE	
9	Gland Nut	1	AISI 304	
10	Handle	1	AISI 304	
11	Spring Washer	1	AISI 304	
12	Nut	1	AISI 304	
13	Latch Lock	1	AISI 304	
14	Bolt	4	AISI 304	
15	Spring Washer	4	AISI 304	
16	Nut	4	AISI 304	
17	Handle Sleeve	1	PVC	
18	Sealing Element	2	EPDM, Nitrile, Fluoroelastomer*	
19	StainlessPress® Ends	2	316L	

<sup>\*</sup>For more information on Fluoroelastomer Sealing Elements, please contact Merit.

Part Number		Inches	Dimensions (in)			Weight	
EPDM	HNBR	Nominal	Α	В	С	D	(lbs)
MBF311/26GE	MBF311/26GEH	1/2	2.82	4.26	2.44	4.49	1.24
MBF313/46GE	MBF313/46GEH	3/4	3.50	5.31	2.68	5.39	1.73
MBF3116GE	MBF3116GEH	1	3.86	5.30	2.75	5.90	2.46
MBF3111/46GE	MBF3111/46GEH	1-1/4	4.17	6.30	3.35	6.53	5.90
MBF3111/26GE	MBF3111/26GEH	1-1/2	4.72	7.87	3.54	7.13	5.93
MBF3126GE	MBF3126GEH	2	5.35	8.27	3.94	8.89	8.48

<sup>\*</sup>For more information on Fluoroelastomer Sealing Elements, please contact Merit.



#### STAINLESS STEEL PIPE


#### **Features**

- Available in 1/2" 12" & 16"
- Welded and Seamless
- Welded pipe available in bundles and sub-bundles
- Schedules 10, 40 and 80
- Schedule 10 Mates with StainlessPress® Fittings
- Meets ASTM A-312/ASME SA-312 Specification
- Meets NSF/ANSI 372 as a Lead-Free Product

Used in Water Treatment, Wastewater Treatment, Oil, Gas, Chemical, Pharmaceutical, Medical, Commercial Plumbing, Residential Plumbing, Automotive, Transportation, Architecture, Construction, Power Generation, Food, Beverage, Pulp, Paper, OEM, and Petrochemical Applications

# **Standard Labeling**

For welded pipe, all bundles are marked with a unique QR Code, which contains:



- Sub-Bundle Quantity Detail
- Merit Brass Co.'s Part Number
- ASTM A312/A312 Specification
- Alloy (304/L or 316/L)
- Diameter
- Merit Brass Purchase Order Number
- Bundle Quantity Detail
- Heat Number
- Date of Packaging














# **LOCATIONS**



# **CONTACT US**



800.726.9800

contactus@meritbrass.com

#### **LEARN MORE**



Revised May 2023